BOKSHTEYN, B.S.; BELASHCHENKO, D.K.; ZHUKOVITSKIY, A.A.

Studying surface diffusion in powders by the electrodiffusion
potential method. Fiz.tver.tela 4 no.7:1728-1734 Jl '62.
(MIRA 16:6)

1. Moskovskiy institut stali.
(Powder metallurgy)   (Diffusion)

S/204/63/003/001/012/013
E075/E416

AUTHORS: Zhukhovitskiy, A.A., Turkel'taub, N.M.

TITLE: The chromatographic determination of impurities

PERIODICAL: Neftekhimiya, v.3, no.1, 1963, 135-143

TEXT: The possibility of determining impurities in gas mixtures by ionization detectors and new gas-chromatographic methods was investigated. The dependence of the required number of theoretical plates on the ratio (B) of concentrations of adjacent components was analyzed and the following relationships derived:

$$\frac{N_B}{N_1} = \frac{n^2}{4}; \quad \text{and for } B \gg 1 \quad \frac{N_B}{N_1} = \frac{\ln B}{2}$$

where N - number of theoretical plates and $n = \sqrt{2 \ln B}$ for $B \gg 1$. Thus for B = 1000, the number of theoretical plates in comparison with B = 1 should be increased 2.84 times. In general, it is desirable for the main component to be adsorbed more strongly (even irreversibly) than the impurity. This would prevent the latter from being obscured by the tailing of the main component.
Card 1/2

The chromatographic ...

S/204/63/003/001/012/013
E075/E436

The most promising methods are those developed recently by A.A.Zhukhovitskiy et al and are: 1) thermodynamic method (Dokl. AN SSSR, v.92, 1953, 987), where the mixture is fed continuously into the column subjected to periodic temperature gradient moving in the same direction as the velocity of the furnace; 2) gradient chromatography (Dokl. AN SSSR, v.144, 1962, 829), its advantage being that the diffusional dilution does not lower the concentration of impurities; 3) vacancy chromatography (Dokl. AN SSSR, v.143, 1962, 646), the introduction of the main component into the mixture passed through the column removing its peak (vacancy) in the chromatogram and thus facilitating the determination of the impurity. The methods reveal new possibilities in the analysis of crude oils, natural gas, upper layers of atmosphere and impurities in industrial gaseous mixture. There are 5 figures and 2 tables.

ASSOCIATION: Vsesoyuznyy nauchno-issledovatel'skiy institut yadernoy geofiziki i geokhimii (All-Union Scientific Research Institute of Nuclear Geophysics and Geochemistry)

Card 2/2

SUBMITTED: May 18, 1962

S/032/63/0 :/004/007/016
A004/A12

AUTHORS: Guglya, V.G., Chiang P'eng-Ch'ei, Bokshteyn, B.S.,
             Zhukovitskiy, A.A.

TITLE: On the practicability of the Müller relation for the reflection
             of β-particles from synthetic mixtures.

PERIODICAL: Zavodskaya laboratoriya, no. 4, 1963, 449 - 453

TEXT: The detailed investigations carried out by Müller (Anal. Chem.,
29, 6, 969, 1957) on reflections from a great number of chemical compounds
revealed that this reflection is determined by some mean charge Z. The
authors conducted investigations to further elucidate the factors determin-
ing the reflection from multicomponent systems. It is shown that the in-
tensity of β-radiation reflection is determined by the mean charge of the
chemical compound or mechanical mixture; therefore, an analysis of multi-
component systems as to the content of some or even one of the constituents
is impossible under general conditions. Moreover, it was found that the
intensity of the reflected radiation depends also on the fractionating com-
position of the powder. The authors describe their tests in detail, which

Card 1/2

On the practicability of the Müller...   S/032/63/029/004/007/016
                                              A004/A127

were carried out with the powders of pure metals, chemical compounds and
synthetic binary and ternary mechanical mixtures. They point out that only
for systems of micro-nonhomogeneity it is possible to determine the composit-
ion of multicomponent systems using the method described. There are 5
figures and 4 tables.

ASSOCIATION: Moskovskiy institut stali i splavov (Moscow Institute of Steel
             and Alloys)

Card 2/2

BLISTANOV, A.A.; BOKSHTEYN, S.Z.; GUDKOVA, T.I.; ZHUKOVITSKIY, A.A.; KISHKIN, S.T.

Investigating the effect of stress on porosity forming. Issl. po zharo-proch. splav. 10:81-86 '63. (MIRA 17:2)

S/032/63/029/001/001/022
B101/B186

AUTHORS: Zhukhovitskiy, A. A., Turkel'taub, N. M., Gayer, M.,
             Lagashkina, M. N., Malyasova, L. A., and Shlepuzhnikova, G. P.

TITLE: Vacantochromatography

PERIODICAL: Zavodskaya laboratoriya, v, 29, no. 1, 1963, 8 - 13

TEXT: A variant of chromatography is suggested in which the mixture to
be separated flows continuously through the column and the carrier gas is
added in portions. The rules governing the motion of bands in convention-
al chromatography apply also to the resulting "vacancies" (places con-
taining no substance to be absorbed). Examples of vacantochromatograms
are given for hydrocarbon mixtures where the "vacancies" were produced by
addition of 0.6 cm^3 air. The asymmetry of peaks is less when using the
suggested method than in the usual adsorption chromatography. The area
of the "vacancy" peak is proportional to the volume of the carrier gas
added. The sensitivity can be increased by moving a temperature field
against the flow. Another variant is the addition of carrier gas with a
verifying agent, e.g. butane. The impurity concentration can be calcu-
Card 1/2

Vacantochromatography

S/032/63/029/001/001/022
B101/B186

lated from the ratio between the peaks of the gaseous impurities in He and the peak of the butane vacancy. Vacantochromatography is particularly recommended for the analysis of low-boiling impurities. The direct use of a flame ionization detector is possible when analyzing noncombustible substances. There are 7 figures and 2 tables.

ASSOCIATION: Institut yadernoy geofiziki i geokhimii (Institute of Nuclear Geophysics and Geochemistry)

Card 2/2

S/032/63/029/001/002/022
B101/B186

AUTHORS: Zhukhovitskiy, A. A., Turkel'taub, N. M., Kancheyeva, O. A.,
Naumova, V. V., and Ryabchuk, L. N.

TITLE: Stepwise chromatography

PERIODICAL: Zavodskaya laboratoriya, v. 29, no. 1, 1963, 14 - 18

TEXT: A simplified form of chromatography is suggested for industrial
analyses. Horizontal steps are obtained instead of peaks by introducing
in the column large amounts of the mixture to be separated. Complete
separation of the substances is not necessary as the height of the steps
is such that the components and their concentrations can be determined
with the same accuracy as on the basis of the peaks in complete separa-
tion. The conditions for the formation of steps are derived from the
equation for the separation coefficient and from the dependence of the
concentration on diffusion, the Henry coefficient, and the Kramp function.
A column twice as long as that used in detection chromatography is
needed, and the Henry coefficient must be much greater than unity. Com-
plete separation of the steps is not necessary, however, for mixtures

Card 1/2

Stepwise chromatography

S/032/63/029/001/002/022
B101/B186

having only 2-3 components. Examples are given for the separation of hydrocarbon mixtures on brick powder impregnated with vaseline oil or hexadecane, or on Al_2O_3. Columns of 300-340 cm length or a capillary of 93 m length wetted with hexadecane were used. There are 5 figures. .

ASSOCIATION: Institut yadernoy geofiziki i geokhimii (Institute of Nuclear Geophysics and Geochemistry)

Card 2/2

ZHUKHOVITSKIY, A. A.; GRIGORYAN, V. A.; MIKHALIK, Ye.

Surface effect of a chemical process. Dokl. AN SSSR 155
no. 2:392-394 Mr '64. (MIRA 17:5)

1. Moskovskiy institut stali i splavov. Predstavleno
akademikom P. A. Rebinderom.

ACCESSION NR: AP4022722   S/0020/64/155/002/0392/0394

AUTHOR: Zhukhovitskiy, A. A.; Grigoryan, V. A.; Mikhalik, Ye.

TITLE: The surface effect of a chemical process

SOURCE: AN SSSR. Doklady*, v. 155, no. 2, 1964, 392-394

TOPIC TAGS: Thermoelectric phenomena, free energy conversion, thermodiffusion, electrodiffusion potential, temperature gradient, surface energy, phase contact area, surface tension, initial state, final state, nitrogen, capillary, gaseous mixture, interface, irreversible process, thermodynamics.

ABSTRACT: The subject under consideration in this article is the conversion of the free energy of a chemical process to surface energy. A chemical process may increase the phase contact area under certain conditions, i.e. it may affect the magnitude of surface tension. An increase of the interface under conditions of chemical equilibrium may result in an increasing number of moles of the surface-active intermediate compound which, generally speaking, is associated with the disappearance of the molecules in the initial and final states and ratios not in keeping with the equilibrium concentrations and the subsequent transition from one

Card 1/2

ACCESSION NR. AP4022722

state into another. The effect of the capillary activity of the chemical process can be illustrated by four groups of tests. A number of researchers noted that in the chemical process of the interphase transition of components in the metal-slag system, the metal drop found in the slag changes its form. They ascribed that phenomenon to the chemical interphase transition. Another qualitative illustration of the reduction of surface tension (σ) as a result of the simultaneous chemical process is the self-emulsification initiated by the chemical reaction. The surface tension was measured by two methods: the maximum pressure in a bubble and the drop count method. The results were compared and found to be similar. Orig. art. has: 2 figures and 5 formulas.

ASSOCIATION: Moskovskiy institut stali i splavov (The Moscow Institute of Steel and Alloys)

SUBMITTED: 05Nov63   DATE ACQ: 08Apr64   ENCL: 00

SUB CODE: PH, CH   NO REF SOV: 002   OTHER: 002

Card   2/2

ZHUKHOVITSKIY, A.A.; TURKEL'TAUB, N.M.; SHVARTSMAN, V.P.; SHLYAKHOV,
A.F.; Prinimali uchastiye: NOVIKOVA, L.G.; KORNELYUK, L.G.

Diffusion of frontal zones and the calculation of the composition
of mixtures in gas carrier-free chromatography. Dokl. AN SSSR
156 no. 3:654-657 '64.   (MIRA 17:5)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut yadernoy
geokhimii i geofiziki. Predstavleno akademikom P.A.Rebinderom.

S/122/61/000/002/010/011
A161/A126

AUTHOR: Zhukhovitskiy, A. F. Engineer

TITLE: Some production and labor organization aspects in comprehensively
                automated industry

PERIODICAL: Vestnik mashinostroyeniya, no. 2, 1961, 63 - 76

TEXT: The author discusses the organization matters in view of the auto-
mation progress in the USSR and the old management ways that are hampering pro-
gress in already existing automated shops. It is pointed out that the production
planning and accounting is simple in an automated shop, and the old production pre-
paration ways are out of place. The functions are discussed of the shop dispatcher
in charge of shift, transfer machine line foremen and setter, etc. down to shop
store labor and cleaning teams, and a management plan is suggested. The idea is
illustrated by management plans occupying ten pages and showing the organization
as it is in nonautomated shops and as it is suggested for the switchover period
to automation and for automated production. The technical progress function, or
rationalization, would be left to the new functionaries - the line foremen and

Card 1/2

Some production and labor ....

S/122/61/000/002/010/011
A161/A126

setters, or the foremen and setters of forging or other shops. It is emphasized
that setters must be specially skilled and ought not be occupied with any additio-
nal functions except setting. There are 7 figures.

Card 2/2

ANDREYEV, Georgiy Pavlovich; ANDREYEV, Sergey Nikolayevich;
   BOGOLYUBOV, Valentin Yevgen'yevich; BURDAK, Nadezhda
Mironovna; ZHUKHOVITSKIY, Boris Yakovlevich; ZEVEKE,
Georgiy Vasil'yevich; KARAYEV, Ruben Iosifovich; LEVITAN
Semen Arkad'yevich; MUKHIN, Aleksandr Andreyevich;
NEGNEVITSKIY, Iosif Borisovich; PEREKALIN, Mikhail
Aleksandrovich; POLIVANOV, Konstantin Mikhaylovich, prof.,
doktor tekhn.nauk; FRIDKIN, L.M., tekhn. red.

[Problems of theoretical principles of electrical engineering;
theory of networks]Zadachnik po teoreticheskim osnovam elektro-
tekhnik; teoriia tsepei. [By]G.P.Andreev i dr. Moskva, Gos-
energoizdat, 1962. 159 p.   (MIRA 15:12)
   (Electric engineering) (Electric networks)

BACHURIN, N.I., inzh.; VOLKOV, S.S., inzh.; GORODETSKIY, S.S., prof.,
doktor tekhn. nauk; GUSEV, S.A., dotsent, kand. tekhn. nauk;
ZHUKHOVITSKIY, B.Ya., dots., kand. tekhn. nauk;
IVANOV-SMOLENSKIY, A.V., dots., kand. tekhn. nauk; KIFER,
I.I., dots., kand. tekhn.nauk; KORYTIN, A.A., starshiy pre-
podavatel'; KULIKOV, F.V., dots.; NIKULIN, N.V., dots., kand.
tekhn. nauk; PODMAR'KOV, A.N., dots.; PRIVEZENTSEV, V.A., prof.,
doktor tekhn. nauk; RUMSHINSKIY, L.A., dots., kand. fiz.-mat.
nauk; SOBOLEV, V.D., dots., kand. tekhn.nauk; URLAPOVA, M.N.,
inzh.; TIKHOMIROV, P.M., dots., kand. tekhn. nauk; FEDOROV,
A.A., dots., kand. tekhn. nauk; CHUNIKHIN, A.A., dots., kand.
tekhn. nauk; CHILIKIN, M.G., prof., glav. red.; GOLOVAN, A.T.,
prof., red.; GRUDINSKIY, P.G., prof., red.; PETROV, G.N., prof.,
doktor tekhn. nauk, red.; FEDOSEYEV, A.M., prof., red.; ANTIK,
I.V., inzh., red.; BORUNOV, N.I., tekhn. red.

[Electrical engineering handbook]Elektrotekhnicheskii spra-
vochnik. 3., perer. i dop. izd. Pod obshchei red. A.T.
Golovana i dr. Moskva, Gosenergoizdat. Vol.1. 1962. 732 p.
                                        (MIRA 15:10)
1. Moskovskiy energeticheskiy institut (for Golovan, Grudinskiy,
Petrov, Fedoseyev, Chilikin, Antik).
        (Electric engineering--Handbooks, manuals, etc.)

IL'IN, Anatoliy Afanas'yevich; ZHUKHOVITSKIY, B.Ya., red.; LARIONOV, G.Ye., tekhn. red.

[Bifurcated electric power distribution networks as remote control communication channels] Razvetvlennye silovye seti kak kanaly sviazi dlia telemekhaniki. Moskva, Gos. energ. izd-vo, 1961. 103 p. (Biblioteka po avtomatike, no.38)   (MIRA 14:11)
    (Electric power distribution)   (Remote control)

NETUSHIL, Anatoliy Vladimirovich; ZHUKHOVITSKIY, Boris Yakovlevich; KUDIN,
     Vsevolod Nikolayevich; BABAT, G.I., prof., retuenzent; OVSYANNIKO-
     VA, Z.G., red.; GARINA,T.D., tekhn. red.

[High-frequency heating in an electric field] Vysokochastotnyi nagrev
v elektricheskom pole. Moskva, Gos. izd-vo "Vysshaia shkola," 1961.
145 p.   (MIRA 14:10)
                    (Dielectric heating)

ZHUKOVITSKIY, I.M. (Belgorod)

Melanomas. Fel'd. i akush. 25 no.8:8-11 Ag '60.   (MIRA 13:8)
            (MELANOMA)

ZHUKOVITSKIY, I.M. (Belgorod)

Lung cancer and smoking. Fel'd. i akush. 22 no.3:46-48 '57
(MLRA 10:5)
(LUNGS--CANCER) (TOBACCO--PHYSIOLOGICAL EFFECT)

ZHUKOVITSKIY, I.M. (Belgorod)

Stomach cancer and its prophylaxis. Med.sestra 18 no.6:16-20
Je '59.   (MIRA 12:8)
                              (STOMACH--CANCER)

ZHUKOVITSKIY, I.M. (Belgorod)

Echinococcosis of the kidney. Klin. med. 41 no.6:141-143
Je '63.   (MIRA 17:1)

1. Iz khirurgicheskogo otdeleniya Belgorodskoy oblastnoy
bol'nitsy (zav. A.F. Petrov).

ZHUKOVITSKIY, I. M. (Belgorod)

Errors in the diagnosis of alcoholic intoxication. Klin. med. 40
no.7:100-103 Jl '62.   (MIRA 15:7)

(ALCOHOLISM)

ZHUKOVITSKIY, Ivan Mikhaylovich; ORLOVSKIY, L.V., red.; KALINICHEV,
V.A., tekhn.red.

[Prevention of pulmonary cancer] Profilaktika raka legkikh.
Moskva, Gos.izd-vo med.lit-ry Medgiz, 1960. 12 p.
(MIRA 14:5)

(LUNGS—CANCER)

ZHUKOVITSKIY, L.M. (Belgorod)

Hemoblastoses. Fel'd. i akush. 24 no.3:3-9 Mr '59.

(HEMOPOIETIC SYSTEM--DISEASES)

(MIRA 12:4)

ZHUKHOVITSKIY, S.Yu.; AGABAL'YANTS, E.G.

Mechanics of lime processing of clay muds. Trudy KF VNII
no.9:32-37 '62.   (MIRA 15:9)
(Oil well drilling fluids)

ZHUKHOVITSKIY, S.Yu.; RYABCHENKO, V.I.

Relationship among the conditional viscosity, static shearing
stress, and hydraulic constants of clay muds. Trudy KF VNII
no.9:38-49 '62.   (MIRA 15:9)
              (Oil well drilling fluids)

ZHUKOVITSKIY, V.I., gornyy inzhener

      Electric conveyer scales. Vop. rud. transp. no.3:108-128 1959.
                                  (MIRA 14:4)

     1. Dnepropetrovskiy gornyy institut.
                (Scales (Weighing instruments))
                   (Conveying machinery)

9 (2), 28 (2)   SOV/115-59-10-7/29

AUTHOR: Zhukovitskiy, V.I.

TITLE: Automatic Compensation of Electro-Extensometric Balan-
               ces

PERIODICAL: Izmeritel'naya tekhnika, 1959, Nr 10, pp 16-18 (USSR)

ABSTRACT: An automatic compensator without the slide-contact
               rheochord was constructed by the author for electro-
               extensometric balances. The wire changers, which form
               the resistance of the arms of a compensating bridge,
               are mounted on a small steel rod (Fig 1) of equal re-
               sistance to bending. The free end of the rod is dis-
               placed by a servo-mechanism. When the rod is bent, the
               resistance of the bridge arm varies. The author gives
               an analytical and graphic computation of the process.
               There are 2 diagrams and 2 graphs and 1 table.

Card 1/1

ZHUKOVITSKIY, V.I., inzh.

    Electronic conveyor scales with a servodrive. Vop. rud. transp.
    no.6:49-56 '62.
                                    (MIRA 15:8)

    1. Dnepropetrovskiy gornyy institut.
              (Conveying machinery--Electronic equipment)

RENGEVICH, A.A., kand.tekhn.nauk; ZHUKOVITSKIY, V.I., gornyy inzhener

Unipolar generators with permanent magnets. Vop. rud. transp.
no.3:287-304 1959.   (MIRA 14:4)

1. Dnepropetrovskiy gornyy institut.
                    (Electric generators)

ZHUKOVITSKIY, V.I., inzh.

Weight gauge for electronic conveyor scales. Vop. rud. transp. no.4:191-199 '60.   (MIRA 14:3)

1. Dnepropetrovskiy gornyy institut im. Artema.
   (Conveying machinery—Attachments)
              (Scales (Weighing instruments))

18.3100

77727
SOV/149-60-1-16/27

AUTHOR: Zhukovetskiy, V. V.

TITLE: Magnesium Vapor Pressure in a MgO-Si System

PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy. Tsvetnaya metal-
               lurgiya, 1960, Nr 1, pp 116-118 (USSR)

ABSTRACT: A reaction between magnesium oxide and silicon in vacuum
               at high temperature forms metallic magnesium and a solid
               slag which consists of $2MgO \cdot SiO_2$. Magnesium vapor
               pressure was determined by several authors but their
               results differed greatly. The author verified these
               data using the method of small orifice through which
               vapors escape and their pressure can be determined accord-
               ing to the equation:

$$p = k \frac{q}{ts} \sqrt{\frac{2\pi RT}{M}}$$ (2)

Card 1/6

Magnesium Vapor Pressure in a MgO-Si System   77727
                                                     SOV/149-60-1-16/27

where P is the pressure under which vapor escapes, dyn/cm^2;
q is magnesium quantity escaped through orifice, g; t is
duration of heating at test temperature, sec; a is ori-
fice area, cm^2; R is gas constant, erg/degree; T is
absolute test temperature; M is molecular weight of
magnesium vapor; K is corrective coefficient determined
from a known vapor pressure, in this case Ag. This
method was described in detail in a previous work by
the author (Trudy SKGMI, Vol 15, 1957). S. Tararin,
V. Zagryadskiy, and A. Iosifova participated in the
present work. The materials used in the tests consisted
of strongly calcined magnesite (in %, 91.22 MgO, 0.65
CaO, 3.46 Fe$_2$O$_3$, 2.57 SiO$_2$, and 1.95 other matter) and

technical grade silicon from Ural Aluminum Plant (Ural'-
skiy alyuminiyevyy zavod). The experimental device
consisted of the furnace, retort, and reaction vessel
as shown in Fig. 1 and 2. Magnesite and silicon were
pulverized, screened, briquetted, and charged into the
Card 2/6   crucible. Vapor pressure was determined at 1,423 and

Magnesium Vapor Pressure in a MgO-Si System

77727
SOV/149-60-1-16/27

Fig. 1. Vacuum furnace: (1) condenser cooling pipe;
(2) vacuum connecting pipe of retort; (3) its bracket;
(4) its lid; (5) its cooling jacket; (6) retort; (7)
thermocouple; (8) heater; (9) furnace.

Card 3/6

Magnesium Vapor Pressure in a MgO-Si System

77727
SOV/149-60-1-16/27

Fig. 2. Reactor apparatus: (1) crucible; (2) its lid;
(3) insert; (4) outside pipe; (5) vertical shield; (6)
condenser; (7) its cooler; (8) water feeding tube to
the latter; (9) lower horizontal shields; (10) upper
horizontal shields.

Card 4/6

Magnesium Vapor Pressure in a MgO-Si
System

1,473° C. Magnesium condensate was collected after a
certain recorded time, dissolved in acetic acid, and
its quantity determined. Equation (2) was used, into
which a corrective coefficient K = 1.48, as determined
from previous tests (with Ag), was introduced. After
substitution of test figures Eq. (2) can be written as:

$$P \text{ mm Hg} = 0.11 \; q \; \sqrt{T} \qquad (3)$$

According to this equation the vapor pressure was cal-
culated and found: 0.27 mm Hg at 1423° K and 0.40 mm at
1473° K. These data are near to those of V. G. Zhivov
(1.82 mm at 1,200° C) but differ widely from those of
Pidgeon and King (34.2 mm at the same temperature).
The latter are evidently incorrect. There are 2 figures;
1 table; and 3 references. 2 Soviet, 1 U.S. The U.S.
reference is: Pidgeon, King, Phys. Chemistry Pross.
Metall, 1948.

Card 5/6

Magnesium Vapor Pressure in a MgO-Si
System

77727
SCV/149-60-1-16/27

ASSOCIATION: North Caucasian Mining Metallurgical Institute. Chair
of Metallurgy of Light Metals (Severokavkazskiy gorno-
metallurgicheskiy institut. Kafedra metallurgii legkikh
metallov)

SUBMITTED: June 3, 1959

Card 6/6

GERSHUNI, G.Z. (Perm'); ZHUKOVITSKIY, Ye.M. (Perm')

Equilibrium stability of a liquid in a horizontal cylinder heated
from below. Prikl. mat. i mekh. 25 no.6:1035-1040 N-D '61.
(MIRA 14:12)

(Thermodynamics)

GERSHUNI, G.Z.; ZHUKHOVITSKIY, Ye.M.

Heat transfer through a vertical slit with a rectangular cross
section in the case of strong convection. Inzh.-fiz. zhur.
no.12:63-67 D '60.   (MIRA 14:3)

1. Gosudarstvennyy universitet i Gosudarstvennyy pedagogicheskiy
institut.
                        (Heat—Convection)

3.

S/040/63/027/002/008/019
D251/D308

AUTHORS: Gershuni, G. Z. and Zhukovitskiy, Ye. M. (Perm')

TITLE: On the convective instability of a two-component mixture in a gravitational field

PERIODICAL: Prikladnaya matematika i mekhanika, v. 27, no. 2, 1963, 301-308

TEXT: The authors investigate the problem stated, which so far has been largely ignored by theoretical and practical research workers. The problem of the stability of the convection of a two-dimensional vertical layer of the mixture heated from below is solved exactly on the basis of the convective equations of I. G. Shaposhnikov (PMM, v. 17, no. 5, 1953). The possibility of a state of equilibrium is demonstrated, and it is shown that, for equilibrium, the density gradient will be constant and vertical. In contra-distinction from the case of a pure medium, investigated by V. S. Sorokin (PMM, v. 17, no. 1, 1953) there are two possible types of disturbance of the equilibrium position which may arise –

Card 1/2

On the convective ...

S/040/65/027/002/008/019
D251/D308

i.e. monotonic and oscillatory disturbances. Equations are deduced, in terms of the ordinary and diffusional Rayleigh numbers, for the 'neutral' line and the 'neutral' oscillation respectively, (i.e. the line or oscillation which separates those disturbances which are damped from those which increase monotonically in the second case). It has so far been assumed that the equilibrium gradients of temperature and concentration are independent. In conclusion, the authors investigate the stability of equilibrium when these gradients are connected by some law. It is shown that for normal thermodiffusion only unstable relatively monotonic disturbances are possible, while for anomalous thermodiffusion oscillatory instability is possible, and also monotonic instability with heating from above. There are 3 figures.

SUBMITTED: November 28, 1962

Card 2/2

L 41650-65   EWT(m)/EWT(l)/FCS(k)/EWA(d)/EWA(l)   Pd-1
ACCESSION NR: AP5006257   S/0040/65/029/001/0020/0098

[illegible] Perm; Sedraz [illegible] S. E. (Perm); Zhuravlskiy, Ya. M. (Perm)

[illegible]

[illegible] Prikladnaya matematika i mekhanika, v. 29, no. 1, [illegible]

[illegible] aerodynamics

[illegible] The behavior of disturbances in two-dimensional non-slip steady-state

Card 2/2

L 41060-65
ACCESSION NR: AP5006257   2

at rest ($R = 0$) the pertubrations are damped monotonically (i e. all the decrements are one and positive) For non-zero P, the form of the age etail turns out to be

ZHUKOVSKAYA, Alena [Zhukouskaia, A.]

I look ahead with confidence. Rab. i sial. 36 no.3:16 Mr '60.

(Bereza District--Dairying)

(MIRA 13:10)

ZHUKOVSKAYA, A.F. (Moskva)

Expand the business cooperation of industry and trade workers.
Shvein.prom. no.4:38-40 Jl-Ag '63.   (MIRA 16:9)

ZHUKOVSKAYA, A.S.

Use of ethanol in the isolation of sodium-22 from cyclotron targets.
Radiokhimiia 7 no.1:125-126 '65.   (MIRA 18:6)

24(7)
AUTHORS: Zhukovskaya, D. M., Ioffe, Yu. K.   SOV/48-23-5-2/31

TITLE: Determination of the Attenuation Coefficient of Soft X-rays
              in Beryllium (Issledovaniye koeffitsiyenta oslableniya myag-
              kikh rentgenovykh luchey v berillii)

ABSTRACT: Beryllium has been recently employed as a material for the
              window of X-ray tubes with accelerating voltages up to 60 kv,
              as are required for therapy, for material investigations and
              similar purposes. Table 1 contains a comparison between the
              attenuation coefficients μ/ρ given by seven papers written
              by other scientists and those determined by the authors. The
              wavelength range in which measurements were made, is from
              2.3 $\mathring{A}$ to 0.7 $\mathring{A}$. In table 2 the determination results of the
              transmission I/I_0 (in %) of $K_\mu Cr$, $K_\alpha Fe$, $K_\alpha Cu$ and $K_\alpha MO$ radia-
              tion are again compared in the abovementioned wavelength range
              and at beryllium layer thicknesses of from 0.3 to 0.9 mm with
Card 1/3   those contained in the other seven papers. A scheme of the

Determination of the Attenuation Coefficient of Soft   SOV/48-23-5-2/31
X-rays in Beryllium

experimental arrangement is shown (Fig 1), the primary elements
of which are a monocrystal spectrometer, a scintillation
counter and a Geiger counter. After a closer description of
the system, an interpretation is given of measuring results.
The formula is first supplied, by which the μ/ϱ was de-
termined at an accelerating voltage of 8 kv up to 25 kv with
2 ma. The background caused by the dispersion of the X-ray is
stated as being < 1%. Table 3 supplies the results obtained
by the authors with the Geiger and scintillation counter, and
the respective mean values are specified. Table 4 contains
the values of μ/ϱ computed with the abovementioned formula
for the various wavelengths, and their error is also given.
A diagram represents the dependence of I/I_o and μ/ϱ on the

wavelength in beryllium. A description follows of results
obtained from similar investigations on aluminum; they are
summarized in two tables. The result obtained from the compari-
son between the Russian industrially-produced vacuum-tight
beryllium plates and the beryllium window of an American X-ray
tube for structural investigations of the Firm Machlett is

Card 2/3

Determination of the Attenuation Coefficient of Soft   SOV/48-23-5-2/31
X-rays in Beryllium

regarded as an essential result yielded by these investiga-
tions, revealing the μ/ρ of the American tube to be larger
by 2 to 2 1/2 times than that of the Russian type. Finally,
the authors thank G. M. Nikolayenko, M. M. Umanskiy and Ye. M.
Fridman for assistance and advice given.There are 2 figures,
6 tables, and 10 references, 5 of which are Soviet.

ASSOCIATION: Goszavod Upravleniya radiotekhnicheskoy promyshlennosti
Leningradskogo sovnarkhoza (State Factory of the Radiotechnical
Industry Administration of the Leningrad Council of National
Economy)

Card 3/3

ACC NR: AP7008665

SOURCE CODE: UR/0153/66/009/006/0869/0872

AUTHOR: Knyazeva, R. N.; Chernova, G. N.; Zhukovskaya, G. B.

ORG: Inorganic Chemistry Department, Ural State University im. A. M. Gor'kiy (Kafedra neorganicheskoy khimii, Ural'skiy gosudarstvennyy universitet)

TITLE: Separation of selenium from tellurium based on different solubilities of magnesium salts of selenic and telluric acids

SOURCE: IVUZ. Khimiya i khimicheskaya tekhnologiya, v. 9, no. 6, 1966, 869-872

TOPIC TAGS: selenium, tellurium, magnesium compound, selenic acid, solubility

ABSTRACT: A technique is proposed for separating selenium from tellurium, based on the different solubilities of magnesium selenate and orthotellurate, both of which are formed by roasting selenium and tellurium in air with magnesium oxide or Eschka's reagent. The solubility of the orthotellurate Mg_3TeO_6 was determined at several temperatures. It is shown that if Se and Te are roasted with a 20 to 30-fold excess of Eschka's reagent for 40 min at 800°C, a water-soluble selenate is formed together with an almost insoluble magnesium orthotellurate. The sinter is leached out with water and filtered. The filtrate contains the selenium, and the insoluble residue contains the tellurium. The following elements do not interfere with the separation: iron, copper, lead, silver, zinc, antimony, bismuth, chromium, aluminum, silicon, barium, calcium, sulfur, i. e., all the elements usually found in various

Card 1/2

UDC: 541.18.043.045 : 546.23 + 546.24

ACC NR: AP7008665

materials enriched with selenium and tellurium. Orig. art. has: 3 tables.

SUB CODE: 07/ SUBM DATE: 25Jan65/ ORIG REF: 006/ OTH REF: 001

Card 2/2

ZHUKOVSKAYA, I. YA.   FDD PA 169T27

USSR/Chemistry - Analysis

"Instrument for Sedimentation Analysis of Suspensions and Emulsions,"
V. S. Somov, I. Ya. Zhukovskaya, Kuban Med Inst.

"Zavod Lab" Vol XVII, No 9, pp 1130.

Authors instrument is based on principle of torsional balance using steel
wire. Repeated analysis at different temperatures gives sedimentation curve
with correspondingly modified scale of ordinates.

PA 169T27

Apparatus for sedimentation analysis of suspensions and emulsions. V. S. Somov and I. Ya. Zhukovskaya (Kazan Med. Inst., U.S.S.R.). Zavodskaya Lab. 16, 1130(1950). — The app. is a torsion balance of a simple type, one level of which serves as an indicator pointer while the other carries the sedimentation collector disk suspended in the beaker contg. the test substance. G. M. Kosolapoff

MARCEVSKIS, M.; ZHUKOVS, L., red.; PAEGLIS, J., tekhn. red.

[Exhibition of construction in the Latvian S.S.R., 1960] Latvijas
PSR 1960, gada celtniecibas izstade. Riga, Tekhniskas informacijas
centralais birojs, 1960. 8 p. [In Latvian]   (MIRA 14:12)
   (Riga—Exhibitions)   (Latvia—Construction industry)

OKONOV, Z.V.; ZANDERSONS, J.; KALNINS, A.; ZHUKOVS, L., red.; PAEGLIS, J., tekhn. red.

[Automatic machine for manufacturing staples. Increasing the extrac tion of resin by utilizing the wood around injured areas of tapped pines] Automats skavu izgatavosanai. Sveku ieguves paplasinasanai var izmantot ari atsvekotu priezu brucu koksnes svekus by J.Zander- sons, A.Kalnins. Riga, Tehniskas informacijas centrlais birojs, 1960. 11 p. [In Latvian translated from the Russian]   (MIRA 14:12) (Staples and stapling machines)   (Turpentining)

L 36240-66   EWT(m)/EWP(t)/ETI   IJP(c)   JD/JG

ACC NR: AP6005419   (N)   SOURCE CODE: UR/0289/65/000/003/0028/0032

AUTHOR: Rudenko, N. P.; Zhukovskaya, A. S.   57
                                                                             55
ORG: Scientific Research Institute of Nuclear Physics, Moscow State University   B
(Nauchno-issledovatel'skiy institut yadernoy fiziki Moskovskogo gosudarstvennogo
universiteta); Electrophysical Laboratory, Ural Polytechnic Institute im. S. M. Kirov
(Elektro-fizicheskaya laboratoriya Ural'skogo politekhnicheskogo instituta)

                                                                  19
TITLE: Use of nonaqueous solvents for separating radioisotopes by precipitation and
leaching

SOURCE: AN SSSR. Sibirskoye otdeleniye. Izvestiya. Seriya khimicheskikh nauk, no. 3,
1965, 28-32

TOPIC TAGS: adsorption, beryllium, lithium, sodium, magnesium, radioisotope,
chemical precipitation

ABSTRACT: A method was developed for separating the radioisotopes sodium-22 and
beryllium-7 without a carrier by precipitating the target element (magnesium in the case

Card 1/2   UDC: 541.15+542.6.621.039.554

L 36240-66

ACC NR: AP6005419

of Na^{22} and lithium in the case of Be^7) in a mixed aqueous-organic solvent. The conditions of maximum precipitation of the target element with a minimum occlusion of the radioisotope were determined. The adsorption of the microcomponent (radioisotope) by the precipitate of the macrocomponent was studied in aqueous-organic media (water-acetone, water-ethanol, water-dioxane). The best medium for a maximum extraction of sodium were found to be 10—15% mixtures of acetone or dioxane with water. In the beryllium-lithium system, only ethanol was employed as the organic solvent. An experimental study of the adsorption of beryllium by the lithium sulfate precipitate showed that up to a Be concentration of $\sim 5 \times 10^{-5}$ g-ion/ml, the adsorption isotherm is linear and obeys Henry's law. However, the character of the occlusion of the microcomponent by the precipitate cannot be judged on the basis of this isotherm; and no definite results were obtained for the adsorption mechanism. Orig. art. has: 7 figures.

SUB CODE: 07 / SUBM DATE: none / ORIG REF: 013 / OTH REF: 003

Card 2/2

L 34085-66   EWT(m)

ACC NR: AP6025487   SOURCE CODE: UR/0186/66/008/001/0063/0066

AUTHOR: Rudenko, N. P.; Zhukovskaya, A. S.

52

ORG: none

B

19

TITLE: Use of nonaqueous solvents for isolation of radioactive Na sup 22 from irradiated magnesium

SOURCE: Radiokhimiya, v. 8, no. 1, 1966, 63-66

TOPIC TAGS: sodium, magnesium, stoichiometric mixture, radiation chemistry, chemical separation, chemical precipitation, organic solvent, solubility, desorption

ABSTRACT: A method is proposed for recovering Na22 without using a carrier. Irradiated magnesium was dissolved in almost a stoichiometric amount of sulfuric acid. The solution was evaporated until a film began to form and an equal or somewhat larger volume of ethanol was added. The solution was carefully stirred and the liquid with the crystalline precipitate of magnesium sulfate was decanted onto a glass filter. For more complete isolation of Na22, the precipitate was washed five to six times with small portions of ethanol. The extent of Na22 recovery was 95-97%. Separation of sodium from small amounts of magnesium passing into the water-ethanol solution was achieved by ion-exchange on the KU-2 cation exchange resin directly from the water-alcohol

Card 1/2   UDC: 541.123.33:546.33.02:546.46

L 34085-66

ACC NR: AP6025487   O

filtrate. An 0.1 N HCl solution was used in eluting the Na^{22}. In the present
report, the authors examine the possibility of using organic solvents other
than ethanol, e.g. acetone and dioxane. It was shown that the nature of the
organic solvent added to precipitate magnesium sulfate does not affect the
composition of the crystal hydrate formed. The solubility of magnesium sul-
fate in ethanol, acetone, and dioxane, and in their mixtures with water at
20°C was determined. The desorption of Na^{22} from the surface of crystalline
magnesium sulfate by these solvents was studied. It was established that
solutions of acetone and dioxane containing 10 - 20% water exceed ethanol in
desorptive capacity and are preferred for recovering radioactive Na^{22} from a
magnesium target. Orig. art. has: 3 tables. [JPRS: 35,728]

SUB CODE: 07 / SUBM DATE: 26Jan65 / ORIG REF: 003 / OTH REF: 006

Card 2/2

L 39894-66   EWT(1)/EWA(h)/FCC   GW/GD-2

ACC NR: AP6018096   SOURCE CODE: UR/0203/65/006/002/0197/0204

AUTHOR: Zhulin, I. A.

ORG: Institute of Terrestrial Magnetism, Ionosphere and Radio Wave Propagation,
AN SSSR (Institut zemnogo magnetizma, ionosfery i rasprostraniya radiovoln AN SSSR)

TITLE: Some problems of the geoeffect of solar corpuscular streams

SOURCE: Geomagnetizm i aeronomiya, v. 6, no. 2, 1966, 197-204

TOPIC TAGS: solar corpuscular radiation, magnetohydrodynamics, geomagnetic
disturbance, geomagnetic field, shock wave, solar plasma

ABSTRACT: The magnetic field of solar corpuscular streams plays the role
of an intermediary in the interaction of streams with the earth's
magnetosphere, leading to an increase of the effective cross section
of interaction determining the possibility of the injection of solar
plasma into the earth's magnetosphere, changing the degree of the
frictional effect during the interaction, etc. Among the problems dis-
cussed in this paper are the conservation of the magnetic flux, the
impossibility of penetration of the field of the flux into the earth's
magnetosphere and the associated need for a magnetohydrodynamic inter-
pretation of the theory of geomagnetic disturbances. No solution is
found to the most important problem -- the mechanism of magnetospheric
energy transfer, but it is believed that several mechanisms are in-

Card 1/2

L 39894-66

ACC NR: AP6018096

volved at the same time: 1) as a result of turbulence at the boundary small blobs of plasma can enter the magnetosphere and be trapped by the geomagnetic field; the field in the blobs, taking their smallness into account, should rapidly attenuate; 2) magnetohydrodynamic waves forming at the boundary of the magnetosphere can become shock waves upon penetration into the magnetosphere with corresponding energy dissipation and heating of the plasma of the magnetosphere; 3) in the transition region between the magnetopause and the standing shock wave there is a turbulent region which can be considered an isotropic group of sonic waves. Taking into account the relative motion of plasma in this region and in the outer part of the magnetosphere it is possible to explain transfer within the magnetosphere to 10^{19} ergs/sec as a result of wave refraction at the boundary of the magnetosphere, apparently adequate to explain storm energy; 4) the mechanism of nonlinear interaction of electrons and possible ionic sonic waves in the unstable transition region of interaction of the solar wind with the earth's magnetosphere. Orig. art. has: 1 figure, 1 table and 10 formulas. [JPRS]

SUB CODE: 03, 04, 08 / SUBM DATE: 21Jan65 / ORIG REF: 012/ OTH REF: 022

Card 2/2 NS

OPOCHINSKAYA, Ye.A. Prinimala uchastiye ZHUKOVSKAYA, K.V.;
    LAZUKOV, G.I., red.

    [Basic characteristics of the development of nature on
    the territory of the U.S.S.R. in the Quaternary (glacial
    epoch)] Osnovnye zakonomernosti razvitiia prirody ter-
    ritorii SSSR v chetvertichnom periode (lednikovom pe-
    riode-antropogene) Pod red.G.I.Lazukova. Moskva, Mosk.
    gos.univ. im. M.V.Lomonosova. Pt.2. [Bibliography, 1940-
    1960] Bibliografiia, 1940-1960 gg. No.1. 1962. 251 p.
                                              (MIRA 16:11)
              (Bibliography--Glacial epoch)

ZHUKOVSKAYA, L.K.; CHERNYSHEVA, N.G.

Standard measure of the intensity of weak magnetic fields.
Trudy inst. Kom. stand., mer i izm. prib. no.43:11-20 '60.
(MIRA 14:7)

(Magnetic measurements)

S/194/61/000/011/003/070
D256/D302

AUTHORS: Zhukovskaya, L.K. and Chernysheva, N.G.

TITLE: Standard of weak magnetic fields

PERIODICAL: Referativnyy zhurnal. Avtomatika i radioelektronika,
                  no. 11, 1961, 5, abstract 11 A33 (Tr. in-tov Kom-ta
                  standartov, mer i izmerit. priborov pri Sov. Min.
                  SSSR, 1960, no. 43 (103), 11-20)

TEXT: A calculation and description are presented of an
arrangement devised as a standard for testing and graduating instru-
ments for measuring strengths of weak magnetic fields. The arrange-
ment consists of a Helmholtz coil system with a provision for compen-
sation of the earth magnetic field and its variations. For compen-
sation of the variations a system was employed with a strong nega-
tive feedback and variometers to indicate the vertical and horizon-
tal components of the earth's field. The current in the coils was
measured by a compensation method. The estimated error is 0.02 and

Card 1/2

Standard of weak magnetic fields

S/194/61/000/011/003/070
D256/D302

and 1.5% for a standard field 1.0 and 0.003 Oe respectively. 6 references. [Abstracter's note: Complete translation]

Card 2/2

ZHUKOVSKAYA, L.K.; FEDOREYEVA, A.V. (Leningrad)

Distribution of trace elements in vegetable products of nutritional importance [with summary in English]. Vop.pit. 16 no.3:43-47 My-Je '57.

(MIRA 10:10)

1. Iz kafedry fiziki (zav. - doktor tekhnicheskikh nauk N.F.Romanova) i kafedry gigiyeny (zav. - doktor meditsinskikh nauk P.N.Lastochkin [deceased]) Pediatricheskogo meditsinskogo instituta, Leningrad)
        (VEGETABLES,
            trace elements in (Rus))
        (TRACE ELEMENTS, determination,
            in vegetables (Rus))

DRICHKO, A.F.; ZHUKOVSKAYA, L.P.; KARAVAYEV, F.M.; RUSINOVA, S.A.

A unit of the UPGI-1 type. Nov. nauch.-issl. rab. po metr.
VNIIM no.2:13-18 '64.

(MIRA 18:4)

DRICHKO, A.F.; ZHUKOVSKAYA, L.P.; KARAVAYEV, F.M.; RUSINOVA, S.A.

New working standards for radium. Trudy inst.Kom. stand., mer i izm. prib. no.55:81-89 '61.
(MIRA 16:6)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut metrologii imeni Mendeleyeva.

(Radium--Standards)

Determination of volatile matter in coke. A. P. Shaking and M. D. Zinzov-skaya.—Izvestiya Teplotekh. Inst. (Trans. Thermo-Tech. Inst. Russia) 1936, No. 1, 17-20; cf. C. A. 24, 1721.—Results obtained by the use of alc., gas and elec. heating equipment are compared.

A. A. Bormulling

Determination of volatile matter in coke. A. P. Shuk-hiro and M. D. Zhukovskaya. Zavodskaya Lab. 4, 874-7(1935). A comparative study of proposed methods for the detn. of volatile matter in coke with the use of European and American elec. and gas furnaces produced unsatisfactory results because of the excessive oxidation of coke. In all cases better results were obtained by heating a sample in an atm. of pure N_2. The best results were obtained by heating a sample in a Pt crucible with an alc. burner for 15 min. by conducting pure N_2 directly into the crucible. By this procedure the oxidation was reduced from 0.79-1.13% to 0.10-0.48%. Chas. Blanc

METALLURGICAL LITERATURE CLASSIFICATION

PROCESSES AND PROPERTIES INDEX

Mills for pulverizing coal samples.   M. D. Zhukovskaya
and A. Ya. Leonova.   Zavodskaya Lab. 7, 1030-0(1938).
—The construction and performance of various types of
Soviet lab. mills are discussed.   Chas. Blanc

METALLURGICAL LITERATURE CLASSIFICATION

21

Selection of rapid methods for the analysis of coal. M. D. Zhukovskaya and G. I. Shenberg. Zavodskaya Lab. 9, No. 1, 83-85(1940).—Rapid drying of coal samples is obtained by periodical mixing of the samples during drying for 1-2 hrs. at 50-60° in a layer not thicker than 10 mm. Thus moisture can be detd. by preliminary drying at 103° for 1 hr. (instead of 2 hrs.) and repeated drying for 30 min. For a rapid detn. of S it is recommended to wash the calorimetric bomb and det. the sulfates by the volumetric method. Ten references. —W. R. Henn

ZHUKOVSKAYA, M. D.   PA 18T19

USSR/Fuels, Solid   Aug 1947
    Hydrogen - Heating Effects

"New Method of Hydrogen Determination in Solid Fuels
by Combustion in a Calorimetric Bomb," M. D.
Zhukovskaya. Fuel Laboratory of the VTI, 5 pp

"Izvestiya VTI" No 8 (148)

Author discusses a new method for the determination
of the hydrogen content of solid fuels. It is as
accurate as Libikh's method. Mention is made of the
ease with which the new method can be adopted by
industrial laboratories.

                                                        18T19

ZHUKOVSKAYA, M. D.

USSR/Engineering - Heat, Petroleum   Aug '52

"Determination of the Net Heating Value of Heavy Petroleum Products," M.D. Zhukovskaya, Cand Tech Sci, M. D. Kazakova, Engr, Fuel Lab

"Iz V-S Teplotekh Inst" No 8, pp 24-27

Discusses detn of total heating value and suggests methods for obtaining data on H content required for calcn of net heating value. Method, previously developed for solid fuel and light petroleum products, includes combustion of specimen in calorimetric bomb and absorption of moisture by absorbent

233T34

placed inside of bomb. This simple method, requiring no addnl equipment, takes about 2 hrs for detn.

PA 233T34

233T34

L 3180-66   EPA(s)-2/EWT(m)/EWP(v)/T/EWP(t)/EWP(k)/EWP(b)/EWA(h)/EWA(c)   IJP(c)

ACCESSION NR: AP5015547   JD/HM

UR/0286/65/000/008/0086/0086

AUTHORS: Gubin, A. I.; Katsman, B. O.; Reznik, N. P.; Zhukovskaya, Ye. A.;
Shitikova, V. I.

TITLE: A solder for soldering. Class 49, No. 170268

SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 8, 1965, 86

TOPIC TAGS: solder, soldering, silver, tin, copper, antimony, lead, phosphorus

ABSTRACT: This Author Certificate presents a solder for soldering electric con-
ductors with silver-silicate strips, containing tin, lead, antimony, and copper.
To diminish the dissolution of silver in the silver-silicate strips and to
strengthen the connection, 5% of silver and 0.1% of phosphorus are introduced
into the solder, while its other components are held at the following percent com-
position:

tin	40.0
copper	5.0
antimony	1.5
lead	remainder.

Card 1/2

L 3180-66

ACCESSION NR: AP5015547

ASSOCIATION: none

SUBMITTED: 17May63   ENCL: 00   SUB CODE: MM

NO REF SOV: 000   OTHER: 000

Joining of metals and non metals

Card 2/2

GUKASOVA, Yekaterina Aleksandrovna; ZHUKOVSKIY, Mikhail Isaakovich;
ZAVADOVSKIY, Anatoliy Mikhaylovich; ZYSINA-MOLOZHEN, Larisa
Mikhaylovna; SKNAR', Nikolay Akimovich; TYRYSHKIN, Vsevolod -
Georgiyevich; ZHUKOVSKIY, V.S., prof., doktor tekhn.nauk, red.;
KUTATELADZE, S.S., prof., doktor tekhn.nauk, red.; ZHITNIKOVA,
O.S., tekhn.red.

[Aerodynamic improvement of bladed apparatus of steam and gas
turbines] Aerodinamicheskoe sovershenstvovanie lopatochnykh
apparatov parovykh i gazovykh turbin. Pod red. V.S.Zhukovskogo
i S.S.Kutateladze. Moskva, Gos.energ.izd-vo, 1960. 340 p.
(MIRA 13:7)

(Steam turbines)   (Gas turbines)

GORYUNOV, A.T.; ANDRIYEVSKAYA, A.F.; ZHUKOVSKAYA, M.K.; SMIRNOV, B.K.,
    otv.red.; PEVZNER, A.S., zav.red.izd-va; OSKINO, L.M., tekhn.red.

[Uniform time and pay standards for construction, assembly, and
repair operations in 1960] Edinye normy i rastsenki na stroi-
tel'nye, montazhnye i remontno-stroitel'nye raboty, 1960 g.
Moskva, Gos.izd-vo lit-ry po stroit., arkhit. i stroit.materialam.
Sbornik 20. [Construction and repair work] Remontno-stroitel'nye
raboty. No.2. [Road construction] Dorozhnye raboty. 1960. 71 p.
                                               (MIRA 13:6)
1. Russia (1923- U.S.S.R.) Gosudarstvennyy komitet po delam stroi-
tel'stva. 2. TSentral'naya normativno-issledovatel'skaya stantsiya
(TSNIS) Ministerstva avtomobil'nogo transporta i shosseynykh dorog
RSFSR (for Andriyevskaya, Zhukovskaya).
        (Wages)   (Road construction)

ZHUKOVSKAYA, N.

ZHUKOVSKAYA, N.

Sensitivity, attention, individual approach. Prom.koop. no.8:20-21
Ag '57.
(MLRA 10:9)

1. Zamestitel' predsedatelya pravleniya arteli invalidov "Truzhenik,"
Kursk.

(Cooperative societies)   (Personnel management)

3.2410

S/169/61/000/012/078/089
D228/D305

AUTHOR: Zhukovskaya, N. A., and Ol', A. I.

TITLE: Change in the amplitude of the diurnal
              variation of the cosmic-ray intensity in
              relation to the magnetic activity

PERIODICAL: Referativnyy zhurnal, Geofizika, no. 12, 1961,
              10, abstract 12G57 (V sb. Variatsii kosmich.
              luchey i solnechn. korpuskulyarn. potoki. no.
              2. M., AN SSSR, 1960, 101-104)

TEXT: The dependence of the amplitude of the diurnal varia-
tion of cosmic rays on the magnitude of K--the index of geo-
magnetic activity during the solar activity maximum (1957)--is
established. The data were divided into 5 groups depending on
the magnitude of the diurnal sum of the K-indices-- ΣKp. It
is shown that the amplitude of the diurnal variation increases

Card 1/2

Change in the amplitude...   S/169/61/000/012/078/089
D228/D305

with the growth of ΣKp to 19 - 23, and that it then sharply
decreases at values of $\Sigma Kp = 24 \div 33$. A further increase
in the amplitude is observed at $\Sigma Kp = 34$. An analogous rela-
tionship is also detected for the period of the solar activity
minimum (1954). Subsequent analysis disclosed that the mean-
daily intensity values for days with $\Sigma Kp = 24 \div 33$ show no
anomalous behavior. The possible causes of the detected effect
are discussed. /Abstracter's note: Complete translation.7

Card 2/2

3,1800
3,2410

S/169/61/000/005/035/049
A005/A130

AUTHORS: Berdichevskaya, T.M., Zhukovskaya, N.A.

TITLE: On the existence of a stellar-diurnal variation of meson in-
             tensity in cosmic rays

PERIODICAL: Referativnyy zhurnal, Geofizika, no. 5, 1961, 13, abstract
             5 G 105. (Tr. Yakutskogo fil. AN SSSR, Ser. fiz., 1960, no. 3,
             140-144)

TEXT: On the basis of data on intensity variations of the hard
cosmic ray component that were obtained in Moscow, Yakutsk, Tikhaya Bay,
Tokio and Freiburg, the authors investigated the presence of stellar-
diurnal variation. In 1953 and 1955 the average monthly vectors of solar-
diurnal variation corrected for the temperature effect evinced well ex-
pressed phase constancy. In 1954 the direction of the vector of solar-
diurnal variation was shifted counterclockwise; at Tikhaya bay the phase
change amounted to 180°. In contrast to this, it turned out that the
phase of stellar-diurnal variation in 1954 was distinguished by high

Card 1/2

JB

On the existence of a stellar-diurnal ...   S/169/61/000/005/035/049
                                                     A005/A130

constancy. These facts indicate that during a minimum of solar activity
stellar-diurnal variation, the amplitude of which becomes comparable with
that of solar-diurnal variation, has predominant importance. The authors
emphasize the necessity of further study of the existence of stellar-
diurnal variation by means of more extensive observation data.

                                                     N.K.

[Abstractor's note: Complete translation.]

Card 2/2

37935

S/035/62/000/005/029/098
A055/A101

3.2410 (2205; 2805)

AUTHORS: Zhukovskaya, N. A., Ol', A. I.

TITLE: On the magnetic activity dependence of the change in the amplitude
             of diurnal variation in the cosmic rays intensity

PERIODICAL: Referativnyy zhurnal, Astronomiya i Geodeziya, no. 5, 1962, 32,
             abstract 5A255 (V sb. "Variyatsii kosmichesk. luchey i solnechn.
             korpuskulyarn. potoki, no. 2", Moscow, AN SSSR, 1960, 101-104,
             English summary)

TEXT: The relationship is determined between the amplitude of the cosmic
rays diurnal variation and the value of the K-index of the geomagnetic activity
in the period of maximum solar activity (1957). The data were divided into 5
groups, depending on the value of the diurnal sum of K-indices ΣK_p. It was
shown that the diurnal variation amplitude increases with the growth of ΣK_p up
to 19 - 23, and then decreases sharply at $\Sigma K_p = 24 \div 33$. At $\Sigma K_p = 34$, a
further amplitude increase is observed. An analogous dependence has also been
found for the period of the solar activity minimum of 1954. Further analysis

Card 1/2

On the magnetic activity dependence ...

S/035/62/000/005/030/098
A055/A101

revealed that the average diurnal intensity values for days with $\Sigma K_p = 24 \div 33$ do not present any anomalous behavior whatsoever. The possible causes of the revealed effect are discussed.

[Abstracter's note: Complete translation]

N. Kaminer

Card 2/2

YERMOL'YEVA, Z.V.; ZHUKOVSKAYA, N.A.; GOLOSOVA, T.V.

Experimental study of lysozyme and some data on its clinical use.
Trudy TSIU 68:136-139 '64.

(MIRA 18:5)

YERMOL'YEVA, Z.V.; GOLOSOVA, T.V.; VED'MINA, Ye.A.; SHENDEROVICH, V.A.;
ZHUKOVSKAYA, N.A.

Use of lysozyme in curing carriers of pathogenic Staphylococci
Antibiotiki 7 no.4:359-361 Ap '62.
                                                        (MIRA 15:3)

1. Kafedra mikrobiologii TSentral'nogo instituta
usovershenstvovaniya vrachey.
                        (LYSOZYME)
                (STAPHYLOCOCCAL DISEASE)

ZHUKOVSKAYA, N.A.

On the use of antibiotics in milk preservation. Antibiotiki 5
no. 5:101-104 S-0 '60.
(MIRA 13:10)

1. Kafedra mikrobiologii (zav. - chlen-korrespondent AMN SSSR
prof. Z.V. Yermol'yeva) TSentral'nogo instituta usovershenstvovaniya
vrachey.

(ANTIBIOTICS) (MILK--PRESERVATION)

BERDICHEVSKAYA, T.M.; ZHUKOVSKAYA, N.A.

On the existence of the sidereal variation in the meson intensity of cosmic rays. Trudy IAFAN SSSR. Ser. fiz. no.3:140-144 '60.

(Cosmic rays)   (Mesons)   (MIRA 13:11)

YERMOL'YEVA, Z.V.; FURER, N.M.; RAVICH, I.V.; NAVASHIN, S.M.; BRAUDE, A.I.;
FOMINA, I.P.; ZHUKOVSKAYA, N.A.; BALEZINA, T.I.; VED'MINA, Ye.A.;
GOLOSOVA, T.V.; NEMIROVSKAYA, B.M.; TERENT'YEVA, T.G.

Experimental study and clinical use of lysozyme. Antibiotiki
8 no.1:39-45 Ja'63.
                    (LYSOZYME)   (MIRA 16:6)

ZHUKOVSKAYA, N.A.

Stability of lysozyme titer in the blood serum of sick
and healthy persons. Trudy TSIU 80:96-97 '65.

(MIRA 18:11)

ZHUKOVSKAYA, O. A. Cand Med Sci -- (diss) "On the problem of the effect of ascariasis upon the appearance and course of tuberculous meningitis in children." Chernovtsy, 1957. 16 pp (Min of Health UkSSR. Dnepropetrovsk State Med Inst), 200 copies (KL, 42-57, 94)

ZHUKOVSKAYA, O.I.

Treatment of dysentery with the preparation "OZCH;"   Zdrav. Turk.
4 no. 6:27-29 N-D '60.
                                                      (MIRA 14:1)

1. Glavnyy vrach Maryyskoy oblastnoy infektsionnoy bol'nitsy.
   (DYSENTERY)   (TEA—THERAPEUTIC USE)

IVASHUROVA, I.N.; ZHUKOVSKAYA, O.I.; YAKUBOVA, A.Kh.;KEBROVA, Ye.I.

Treatment of brucellosis with vaccine according to the method
of G.P.Rudnev in combination with antibiotics. Zdrav. Turk. 7
no.6:31-36 Je '63.   (MIRA 16:8)

1. Iz Turkmenskoy Respublikanskoy sanitarno-epidemiologiche-
skoy stantsii (glavnyy vrach V.I.Mamayeb) i Maryyskoy gorodskoy
infektsionnoy bol'nitsy (glavnyy vrach O.I.Zhukovskaya).
        (BRUCELLOSIS—PREVENTIVE INOCULATION) (ANTIBIOTICS)

ALEKSEYEV, A. G.; VERTSNER, V. N.; ZHUKOVSKAYA, O. V.: PODUSHKO, Ye. V.; TIKHOMIROV, G.P.

"The structure of some glasses of LiO_2-Al_2O_3-SiO_2-TiO_2 system and its variation in thermal treatment over the wide temperature range."

report submitted for 4th All-Union Conf on Structure of Glass, Leningrad, 16-21 Mar 64.

L 11869-66   EWT(m)/EWP(e)/EWP(b)   GS/WH

ACC NR: AT6000503

SOURCE CODE: UR/0000/65/000/000/0351/0356

AUTHOR: Alekseyev, A. G.; Vertsner, V. N.; Zhukovskaya, O. V.; Podushka, Ye. V.; Tikhomirov, G. P.

ORG: None

TITLE: The changes in the properties and structure of Li2O-Al2O3-SiO2-TiO2 glasses during heat treatment in a wide range of temperatures

SOURCE: Vsesoyuznoye soveshchaniye po stekloobraznomu sostoyaniy., 4th, Leningrad, 1964. Stekloobraznoye sostoyaniye (Vitreous state); trudy soveshchaniya, Leningrad, Izd-vo Nauka, 1965, 351-356

TOPIC TAGS: lithium glass, silicate glass, aluminum silicate, solid solution, catalized crystallization, crystal

ABSTRACT: The properties and structure of lithia-aluminosilica glasses catalyzed by TiO2 and treated within a wide range of temperatures have been investigated. Special attention was paid to glasses the composition of which was close to spodumene (SiO2 - 60.5; Al2O3 - 28.0; Li2O - 6.5; TiO2 - 5.0 weight %). The results cover the dependence of the index of refraction and glass density on the duration of treatment, the comparative x-ray and infrared reflection spectra for glasses treated at different temperatures, and the dependence of the index of refraction and glass density on treatment temperature. Curves of the differential thermal analysis are also given. The results show that at temperatures of 700 to 800C the resulting crystals

Card 1/2

L 11869-66

ACC NR: AT6000503

belong basically to the eucryptite-like solid solution. By their chemical composition these crystals are close to spodumene. At 890C, the basic crystalline phase becomes apparently identical to the β modification of spodumene, and the solid solution is now of the spodumene type. Orig. art. has: 6 figures.

SUB CODE: 11, 20 / SUBM DATE: 22May65 / OTH REF: 002

Card 2/2   jw